

WellGuard™ Separation Panels

by Humanscale®



Designed to accommodate a wide variety of environments, Humanscale's WellGuard Separation Panels are customizable, easy to install or uninstall when no longer required and are highly durable compared to acrylic or plexiglass over the course of time. Available in Clear PETG for maximum visibility, Frosted PETG for additional privacy or Felted PET for added acoustical benefits, WellGuard Separation Panels can accommodate a wide range of environments.



KEY FEATURES

- Available in Plastic Resin (PETG) or Felted PET
- Customization available (special materials, sizes and shapes)
- Multiple mounting options available
- Quickly installs or uninstalls to any workstation
- Highly recyclable, sustainable and durable

Clear/Frosted PETG



Ideal for visibility and easy to clean, WellGuard PETG panels blend seamlessly into your current environment. You can use clear panels when you want the most natural look or install frosted panels for added privacy.



KEY SPECIFICATIONS - PETG

- Available in several widths and heights for max. coverage
- 1/4" thickness (6mm)
- Permanent and removable mounting options available
- Customization (shapes, sizes, mounting options) available
- Significantly more resistant to breakage and easier to recycle than acrylic

Felted PET



In addition to being durable and easy to clean, WellGuard Felted PET panels provide strength and acoustical benefits that acrylic panels are unable to match.




KEY SPECIFICATIONS - FELTED PET

- Available in several widths and heights for max. coverage
- 1/2" thickness (12mm)
- Permanent and removable mounting options available
- Highly sound absorbent
- Customization (shapes, sizes, mounting options) available

Applications



Open Office Area



Benching System



Courtroom



Lecture Hall



Cafe



DMV Center



Reception Area



Cafeteria

Specifications

FELT COLOR OPTIONS



Light Gray



Dark Gray

MOUNTING OPTIONS




Offset Clamp



Top Clamp




Front Clamp



Panel



Freestanding



L Bracket
(North America Only)



Top Direct
(North America Only)

Specifications / Dimensions

	North America	International
Materials	PETG/PET	PETG/PET
Finishes	Light Grey/Dark Grey PET, Frosted PETG, Clear PETG	Light Grey/Dark Grey PET, Frosted PETG, Clear PETG
Placement Options	Side, Side + Overhang, Rear, Rear with Modesty	Side, Side + Overhang, Rear
Widths	24"/30" (side), 36"-72" (rear), 18"-72" (panel mount)	800mm (side), 1200/1400/1600mm (rear/panel mount)
Heights	24"/30"/36" (desk mount), 12"-24" (panel mount)	600mm (desk mount), 300mm (panel mount)
Mounting Option Colors	Silver	Silver
Mounting Options	Offset, Top, Top Direct, L, Front Clamp, Freestanding, Panel	Offset, Top, Front Clamp, Freestanding, Panel